

TECHNICAL DATA SHEET

Organic pigment for coatings&inks



Edition 01.01.2011

Pigment Green 36 UN8503-1

Identification

Chem Group:	Phthalocyanine Green G
C.I. No.:	74265
CAS No.:	14302-13-7
EC NO.:	238-238-4
Counter Type:	Phthalocyanine

Product Description

Pigment Green 36 UN8503-1 is green pigment in yellowish shade with excellent light and weather fastness.



Full shade



Reduction 1:10

Application

Recommended for	Plastic,Paint
Suggested for	/

Physical Data

Appearance	Green Powder		
Density(g/cm ³)	2.9	Oil absorption(ml/100g)	30-50
Moisture(%)	≤2.0	Water soluble matter(%)	≤1.5
pH-value	7.0-9.0	Electric Conductivity(us/cm)	≤600

Fastness Data

Water	5	Butyl Acetate	5
Acid	5	Benzene	5
Alkali	5	Ketone	5
Oil	5	Ethyle Alcohol	5
Heat Stability(°C)	200	Light Fastness	7~8

Note:

The above information is provided as guidelines only. It is important that the customers evaluate any product in their own resin system to determine suitability.

HUPC CHEMICAL CO.LTD

Room 301,Building B2,No.206 ZhenHua Road, HangZhou, China
Tel:0086-571-89905373 Email: info@unionpigment.com

Web Site: www.union-pigment.com